


NK60-2B

● Order Product Code

NK60-2B 15




Ground Specification



Welded Specification

(Black stain also mixed in)


- Chain **No.60-2**
- Chain Pitch **(P) 19.05 mm**
- Roller Link Inner Width **(W) 12.70 mm**
- Roller Outside Diameter **(Dr) 11.91 mm**
- Tooth Width **(T) 11.3 mm**
- Complete Tooth Width **(M) 34.1 mm**



Use together with the KANA machine key. Refer to P.334 to P.335

TYPE	No. of Teeth	Do	Dp	Shaft Hole Diameter d			BD	BL	Shape	Tooth Section	Weight kg
				Prepared Hole	Minimum	Maximum					
NK60-2B	10	70	61.647	13	14	20	35	50	Ground Specification	m Carbon Structural Steel h High-frequency Hardened Teeth	0.90
	11	76	67.617	13	14	25	44	50			1.00
	12	83	73.604	13	14	30	50	50			1.20
	13	89	79.602	16	17	35	57	50			1.40
	14	95	85.610	16	17	42	64	56			1.80
	15	101	91.625	16	17	46	70	56			2.10
	16	107	97.647	16	17	51	76	56			2.50
	17	113	103.674	16	17	55	82	56			2.60
	18	119	109.705	18	19	60	88	56			3.20
	19	126	115.739	18	19	63	94	56			3.70
	20	132	121.776	18	19	66	100	56			4.20
	21	138	127.816	18	19	66	100	56			4.40
	22	144	133.858	18	19	66	100	56			4.90
	23	150	139.902	20	21	66	100	56			4.70
	24	156	145.948	20	21	80	120	56			6.00
	25	162	151.995	20	21	80	120	56			6.40
	26	168	158.043	20	21	80	120	56			6.80
	27	174	164.093	20	21	80	120	56			7.30
	28	180	170.143	20	21	80	120	56			7.80
	29	187	176.195	20	21	80	120	56			8.20
	30	193	182.247	20	21	89	130	56			9.00

Standard Sprocket Two-row B-type



Ground Specification

Welded Specification

TYPE	No. of Teeth	Do	Dp	Shaft Hole Diameter d			BD	BL	Shape	Tooth Section	Weight kg		
				Prepared Hole	Minimum	Maximum							
NK60-2B	31	199	188.300	20	21	89	127	56	Ground Specification	Carbon Structural Steel High-frequency Hardened Teeth	9.30		
	32	205	194.354	20	21	89	127	56			9.50		
	33	211	200.408	20	21	89	127	56			9.70		
	34	217	206.463	20	21	89	127	56			10.50		
	35	223	212.518	20	21	89	127	56			11.00		
	36	229	218.574	20	21	66	98	56			8.50		
	38	241	230.687	20	21	66	98	56			9.00		
	40	253	242.802	20	21	66	98	56			9.70		
	42	266	254.917	23	24	75	107	56			11.00		
	45	284	273.093	23	24	75	107	71			12.80		
	48	302	291.270	23	24	75	107	71			14.00		
	50	314	303.390	23	24	75	107	71			16.00		
	54	338	327.630	23	24	75	107	71			Welded Specification	Common Steel	18.00
	60	375	363.994	23	24	75	107	71			21.50		
65	405	394.301	28	29	75	107	71	24.00					
70	436	424.609	28	29	75	107	71	30.00					